

1. Naguib NN*, Nour-Eldin NE*, Hammerstingl RM, Lehnert T, Floeter J, Zangos S, Vogl TJ. Three-dimensional reconstructed contrast-enhanced MR angiography for internal iliac artery branch visualization before uterine artery embolization. *J Vasc Interv Radiol.* 2008 Nov;19(11):1569-75.
2. Nour-Eldin NE*, Naguib NN*, Saeed AS, Ackermann H, Lehnert T, Korkusuz H, Vogl TJ. Risk factors involved in the development of pneumothorax during radiofrequency ablation of lung neoplasms. *AJR Am J Roentgenol.* 2009 Jul;193(1):W43-8.
3. Naguib NN, Nour-Eldin NE, Lehnert T, Hammerstingl RM, Korkusuz H, Eichler K, Zangos S, Vogl TJ. Uterine artery embolization: optimization with preprocedural prediction of the best tube angle obliquity by using 3D reconstructed contrast-enhanced MR angiography. *Radiology.* 2009 Jun;251(3):788-95.
4. Zangos S, Müller C, Mayer F, Naguib NN, Nour-Eldin NE, Hansmann ML, Herzog C, Hammerstingl RM, Thalhammer A, Mack M, Vogl TJ, Eichler K. [Retrospective 5-year analysis of MR-guided biopsies in a low-field MR system]. *Rofo.* 2009 Jul;181(7):658-63.
5. Korkusuz H, Esters P, Naguib N, Nour Eldin NE, Lindemayr S, Huebner F, Koujan A, Bug R, Ackermann H, Vogl TJ. Acute myocarditis in a rat model: late gadolinium enhancement with histopathological correlation. *Eur Radiol.* 2009 Nov;19(11):2672-8.
6. Vogl TJ, Naguib NN, Nour-Eldin NE, Lehnert T, Mbalisike E. C-arm computed tomography for transarterial chemoperfusion and chemo-embolization of thoracic lesions. *Radiologe.* 2009 Sep;49(9):837-41.
7. Vogl TJ, Gruber T, Naguib NN, Hammerstingl R, Nour-Eldin NE. Liver metastases of neuroendocrine tumors: treatment with hepatic transarterial chemotherapy using two therapeutic protocols. *AJR Am J Roentgenol.* 2009 Oct;193(4):941-7.
8. Nour-Eldin NE, Zangos S, Vogl TJ. Endovascular reconstruction of completely occluded left brachiocephalic vein in haemodialysis patients--tips and tricks. *Eur J Radiol.* 2009 Apr;70(1):177-9.
9. Vogl TJ, Naguib NN, Zangos S, Eichler K, Hedayati A, Nour-Eldin NE. Liver metastases of neuroendocrine carcinomas: interventional treatment via transarterial embolization, chemoembolization and thermal ablation. *Eur J Radiol.* 2009 Dec;72 (3):517-28.
10. Review on transarterial chemoembolization in hepatocellular carcinoma: palliative, combined, neoadjuvant, bridging, and symptomatic indications. Vogl TJ, Naguib NN, Nour-Eldin NE, Rao P, Emami AH, Zangos S, Nabil M, Abdelkader A. *Eur J Radiol.* 2009 Dec;72(3):505-16.
11. Vogl TJ, Naguib NN, Nour-Eldin NE, Eichler K, Zangos S, Gruber-Rouh T. Transarterial chemoembolization (TACE) with mitomycin C and gemcitabine for liver metastases in breast cancer. *Eur Radiol.* 2010 Jan;20(1):173-80.
12. Naguib NN, Mbalisike E, Nour-Eldin NE, Jost A, Lehnert T, Ackermann H, Vogl TJ. Leiomyoma volume changes at follow-up after uterine artery embolization: correlation with the initial leiomyoma volume and location. *J Vasc Interv Radiol.* 2010 Apr; 21(4) :490-5.
13. Vogl TJ, Then C, Naguib NN, Nour-Eldin NE, Larson M, Zangos S, Silber G. Mechanical soft tissue property validation in tissue engineering using magnetic resonance imaging experimental research. *Acad Radiol.* 2010 Dec;17(12):1486- 91.
14. Vogl TJ, Naguib NN, Nour-Eldin NE, Mack MG, Zangos S, Abskharon JE, Jost A. Repeated chemoembolization followed by laser-induced thermotherapy for liver metastasis of breast cancer. *AJR Am J Roentgenol.* 2011 Jan;196(1):W66- 72.
15. Vogl TJ*, Nour-Eldin NE*, Emad-Eldin S, Naguib NN, Trojan J, Ackermann H, Abdelaziz O. Portal vein thrombosis and arterioportal shunts: effects on tumor response after chemoembolization of hepatocellular carcinoma. *World J Gastroenterol.* 2011 Mar 14;17(10):1267-75.
16. Nour-Eldin NE, Naguib NN, Tawfik AM, Koitka K, Saeed AS, Vogl TJ. Outcomes of an algorithmic approach to management of pneumothorax complicating thermal ablation of pulmonary neoplasms. *J Vasc Interv Radiol.* 2011 Sep;22(9):1279-86.
17. Nour-Eldin NE, Naguib NN, Mack M, Abskharon JE, Vogl TJ. Pulmonary hemorrhage complicating radiofrequency ablation, from mild hemoptysis to life-threatening pattern. *Eur Radiol.* 2011 Jan;21(1):197-204.

18. Tawfik AM, Kerl JM, Razek AA, Bauer RW, Nour-Eldin NE, Vogl TJ, Mack MG. Image quality and radiation dose of dual-energy CT of the head and neck compared with a standard 120-kVp acquisition. *AJNR Am J Neuroradiol.* 2011 Dec; 32 (11):1994-9.
19. Vogl TJ, Naguib NN, Gruber-Rouh T, Koitka K, Lehnert T, Nour-Eldin NE. Microwave ablation therapy: clinical utility in treatment of pulmonary metastases. *Radiology.* 2011 Nov;261(2):643-51.
20. Vogl TJ, Naguib NN, Lehnert T, Nour-Eldin NE. Radiofrequency, microwave and laser ablation of pulmonary neoplasms: clinical studies and technical considerations--review article. *Eur J Radiol.* 2011 Feb;77(2):346-57.
21. Nour-Eldin NE, Abdelmonem O, Tawfik AM, Naguib NN, Klingebiel T, Rolle U, Schwabe D, Harth M, Eltoukhy MM, Vogl TJ. Pediatric primary and metastatic neuroblastoma: MRI findings: pictorial review. *Magn Reson Imaging.* 2012 Sep;30(7):893-906.
22. Vogl TJ, Naguib NN, Nour-Eldin NE, Farshid P, Lehnert T, Gruber-Rouh T, Engels KS. Retrospective study on the use of different protocols for repeated transarterial chemoembolization in the treatment of patients with hepatocellular carcinoma. *Acad Radiol.* 2012 Apr;19(4):434-9.
23. Naguib NN, Nour-Eldin NE, Serag-Eldin F, Mazloum YZ, Agameya AF, AbouSeif S, Etaby AN, Lehnert T, Gruber-Rouh T, Zangos S, Ackermann H, Vogl TJ. Role of uterine artery Doppler in the management of uterine leiomyoma by arterial embolization. *Ultrasound Obstet Gynecol.* 2012 Oct;40(4):452-8.
24. Tawfik AM, Nour-Eldin NE, Naguib NN, Razek AA, Denewer AT, Bisdas S, Vogl TJ. CT perfusion measurements of head and neck carcinoma from single section with largest tumor dimensions or average of multiple sections: agreement between the two methods and effect on intra- and inter-observer agreement. *Eur J Radiol.* 2012 Oct;81(10):2692-6.
25. Vogl TJ, Naguib NN, Lehnert T, Nour-Eldin NE, Eichler K, Zangos S, GruberRouh T. Initial experience with repetitive transarterial chemoembolization (TACE) as a third line treatment of ovarian cancer metastasis to the liver: indications, outcomes and role in patient's management. *Gynecol Oncol.* 2012 Feb;124(2):225-9.
26. Vogl TJ, Naguib NN, Nour-Eldin NE, Bechstein WO, Zeuzem S, Trojan J, Gruber-Rouh T. Transarterial chemoembolization in the treatment of patients with resectable cholangiocarcinoma: Results and prognostic factors governing treatment success. *Int J Cancer.* 2012 Aug 1;131(3): 733-40.
27. Tawfik AM, Kerl JM, Bauer RW, Nour-Eldin NE, Naguib NN, Vogl TJ, Mack MG. Dual-energy CT of head and neck cancer: average weighting of low- and high- 7 voltage acquisitions to improve lesion delineation and image quality-initial clinical experience. *Invest Radiol.* 2012 May;47(5):306-11.
28. Lehnert T, Naguib NN, Wutzler S, Nour-Eldin NE, Bauer RW, Kerl JM, Vogl TJ, Balzer JO. Analysis of disk volume before and after CT-guided intradiscal and periganglionic ozone-oxygen injection for the treatment of lumbar disk herniation. *J Vasc Interv Radiol.* 2012 Nov;23(11):1430-6.
29. Vogl TJ, Huebner F, Naguib NN, Bauer RW, Mack MG, Nour-Eldin NE, Meister D. MR-based thermometry of laser induced thermotherapy: temperature accuracy and temporal resolution in vitro at 0.2 and 1.5 T magnetic field strengths. *Lasers Surg Med.* 2012 Mar;44(3):257-65.
30. Vogl TJ, Jost A, Nour-Eldin NE, Mack MG, Zangos S, Naguib NN. Repeated transarterial chemoembolisation using different chemotherapeutic drug combinations followed by MR-guided laser-induced thermotherapy in patients with liver metastases of colorectal carcinoma. *Br J Cancer.* 2012 Mar 27;106(7):1274-9.
31. Vogl TJ, Gruber-Rouh T, Eichler K, Nour-Eldin NE, Trojan J, Zangos S, Naguib NN. Response to comment on "repetitive transarterial chemoembolization (TACE) of liver metastases from gastric cancer: local control and survival results": will there be clinical implications in the future? *Eur J Radiol.* 2013 Sep;82(9):1592-4.
32. Vogl TJ, Freier V, Nour-Eldin NE, Eichler K, Zangos S, Naguib NN. Magnetic resonance-guided laser-induced interstitial thermotherapy of breast cancer liver metastases and other noncolorectal cancer liver metastases: an analysis of prognostic factors for long-term survival and progression-free survival. *Invest Radiol.* 2013 Jun;48(6):406-12.
33. Vogl TJ, Naguib NN, Nour-Eldin NE. Response. *Radiology.* 2013 Mar;266(3):996. IF: 6.214 (Radiology : 4 / 122) 29. Paul J, Mbalisike EC, Nour-Eldin NE, Vogl TJ. Dual-source 128-slice MDCT neck: radiation dose and image quality estimation of three different protocols. *Eur J Radiol.* 2013 May;82(5):787-96.

34. Vogl TJ, Lindemayr S, Naguib NN, Gurung J, Nour-Eldin NE, Zangos S, Mbalisike EC. Nonselective transarterial chemoperfusion: a palliative treatment for malignant pleural mesothelioma. *Radiology*. 2013 Feb;266(2):649-56.
35. Vogl TJ, Worst TS, Naguib NN, Ackermann H, Gruber-Rouh T, Nour-Eldin NE. Factors influencing local tumor control in patients with neoplastic pulmonary nodules treated with microwave ablation: a risk-factor analysis. *AJR Am J Roentgenol*. 2013 Mar;200(3):665-72.
36. Vogl TJ, Gruber-Rouh T, Eichler K, Nour-Eldin NE, Trojan J, Zangos S, Naguib NN. Repetitive transarterial chemoembolization (TACE) of liver metastases from gastric cancer: local control and survival results. *Eur J Radiol*. 2013 Feb;82(2):258-63.
37. Vogl TJ, Kreutzträger M, Gruber-Rouh T, Eichler K, Nour-Eldin NE, Zangos S, Naguib NN. Neoadjuvant TACE before laser induced thermotherapy (LITT) in the treatment of non-colorectal non-breast cancer liver metastases: feasibility and survival rates. *Eur J Radiol*. 2014 Oct;83(10):1804-10.
38. Tawfik AM, Razek AA, Kerl JM, Nour-Eldin NE, Bauer R, Vogl TJ. Comparison of dual-energy CT-derived iodine content and iodine overlay of normal, inflammatory and metastatic squamous cell carcinoma cervical lymph nodes. *Eur Radiol*. 2014 Mar;24(3):574-80.
39. Vogl TJ, Dommermuth A, Heinle B, Nour-Eldin NE, Lehnert T, Eichler K, Zangos S, Bechstein WO, Naguib NN. Colorectal cancer liver metastases: long-term survival and progression-free survival after thermal ablation using magnetic resonance-guided laser-induced interstitial thermotherapy in 594 patients: analysis of prognostic factors. *Invest Radiol*. 2014 Jan;49(1):48-56.
40. Naguib NN, Bohrt K, Nour-Eldin NE, Schulz B, Tawfik AM, Siebenhandel P, Bodelle B, Eichler K, Moritz A, Vogl TJ, Zangos S. Whole-body MR angiography: first experiences with the new TimCT technology with single contrast injection. *J Magn Reson Imaging*. 2014 Feb;39(2):434-9.
41. Nour-Eldin NE, Alsubhi M, Naguib NN, Lehnert T, Emam A, Beeres M, Bodelle B, Koitka K, Vogl TJ, Jacobi V. Risk factor analysis of pulmonary hemorrhage complicating CT-guided lung biopsy in coaxial and non-coaxial core biopsy techniques in 650 patients. *Eur J Radiol*. 2014 Oct;83(10):1945-52.
42. Nour-Eldin NE, Naguib NN, Tawfik AM, Gruber-Rouh T, Zangos S, Vogl TJ. CT volumetric assessment of pulmonary neoplasms after radiofrequency ablation: when to consider a second intervention? *J Vasc Interv Radiol*. 2014 Mar;25(3):347-54.
43. Beeres M, Wichmann JL, Paul J, Mbalisike E, Elsabaie M, Vogl TJ, Nour-Eldin NE. CT chest and gantry rotation time: does the rotation time influence image quality? *Acta Radiol*. 2015 Aug;56(8):950-4.
44. Vogl TJ, Farshid P, Naguib NN, Zangos S, Bodelle B, Paul J, Mbalisike EC, Beeres M, Nour-Eldin NE. Ablation therapy of hepatocellular carcinoma: a comparative study between radiofrequency and microwave ablation. *Abdom Imaging*. 2015 Aug;40(6):1829-37.
45. Vogl TJ, Schaefer P, Lehnert T, Nour-Eldin NA, Ackermann H, Mbalisike E, Hammerstingl R, Eichler K, Zangos S, Naguib NN. Intraprocedural blood volume measurement using C-arm CT as a predictor for treatment response of malignant liver tumours undergoing repetitive transarterial chemoembolization (TACE). *Eur Radiol*. 2016 Mar;26(3):755-63.
46. Beeres M, Williams K, Bauer RW, Scholtz J, Kaup M, Gruber-Rouh T, Lee C, Wichmann JL, Frellesen C, Nour-Eldin NE, Vogl TJ, Kerl JM, Bodelle B. First Clinical Evaluation of High-Pitch Dual-Source Computed Tomographic Angiography Comparing Automated Tube Potential Selection With Automated Tube Current Modulation. *J Comput Assist Tomogr*. 2015 May 7.
47. Bodelle B, Beeres M, Scheithauer S, Wichmann JL, Nour-Eldin NE, Vogl TJ, Schulz B. Automated Tube Potential Selection as a Method of Dose Reduction for CT of the Neck: First Clinical Results. *AJR Am J Roentgenol*. 2015 May;204(5):1049-54.
48. Scholtz JE, Wichmann JL, Hüser K, Beeres M, Nour-Eldin NE, Frellesen C, Vogl TJ, Lehnert T. Automated tube voltage adaptation in combination with advanced modeled iterative reconstruction in thoracoabdominal third-generation 192-slice dual-source computed tomography: effects on image quality and radiation dose. *Acad Radiol*. 2015 Sep;22(9):1081-7.
49. Beeres M, Trommer J, Frellesen C, Nour-Eldin NE, Scholtz JE, Herrmann E, Vogl TJ, Wichmann JL. Evaluation of different keV-settings in dual-energy CT angiography of the aorta using advanced image-based virtual monoenergetic imaging. *Int J Cardiovasc Imaging*. 2016 Jan;32(1):137-44.

50. Nour-Eldin NE, Alsubhi M, Emam A, Lehnert T, Beeres M, Jacobi V, Gruber-Rouh T, Scholtz JE, Vogl TJ, Naguib NN. Pneumothorax Complicating Coaxial and Non-coaxial CT-Guided Lung Biopsy: Comparative Analysis of Determining Risk Factors and Management of Pneumothorax in a Retrospective Review of 650 Patients. *Cardiovasc Intervent Radiol.* 2016 Feb;39(2):261-70.
51. Naguib NN, Zima B, Nour-Eldin NE, Gruber-Rouh T, Fischer S, Schulz B, Eichler K, Schmitz-Rixen T, Moritz A, Balzer JO, Ackermann H, Vogl TJ, Zangos S. Long-Term Changes in Aortic Length after Thoracic Endovascular Aortic Repair. *J Vasc Interv Radiol.* 2016 Feb;27(2):181-7. 10
52. Beeres M, Wichmann JL, Frellesen C, Bucher AM, Albrecht M, Scholtz JE, NourEldin NE, Gruber-Rouh T, Lee C, Vogl TJ, Lehnert T. ECG-gated Versus NonECG-gated High-pitch Dual-source CT for Whole Body CT Angiography (CTA). *Acad Radiol.* 2016 Feb;23(2):163-7.
53. Vogl TJ, Schaefer P, Lehnert T, Nour-Eldin NE, Ackermann H, Mbalisike E, Hammerstingl R, Eichler K, Zangos S, Naguib NN. Intraprocedural blood volume measurement using C-arm CT as a predictor for treatment response of malignant liver tumours undergoing repetitive transarterial chemoembolization (TACE). *Eur Radiol.* 2016 Mar;26(3):755-63.
54. Vogl TJ, Lauer HC, Lehnert T, Naguib NN, Ottl P, Filmann N, Soekamto H, Nour-Eldin NE. The value of MRI in patients with temporomandibular joint dysfunction: Correlation of MRI and clinical findings. *Eur J Radiol.* 2016 Apr;85(4):714-9.
55. Vogl TJ, Oppermann E, Qian J, Imlau U, Tran A, Hamidavi Y, Korkusuz H, Bechstein WO, Nour-Eldin NE, Gruber-Rouh T, Hammerstingl R, Naguib NN. Transarterial chemoembolization of hepatocellular carcinoma in a rat model: the effect of additional injection of survivin siRNA to the treatment protocol. *BMC Cancer.* 2016 May 23;16:325.
56. Vogl TJ*, Nour-Eldin NE*, Naguib NN, Lehnert T, Ackermann H, Hammerstingl R, Hezel M. Feasibility of assessing pulmonary blood volume using C-arm CT during transpulmonary chemoperfusion and chemoembolization in primary and secondary lung tumours. *Br J Radiol.* 2016 Jun;89(1062):20150244.
57. Beeres M, Bucher AM, Wichmann JL, Frellesen C, Scholtz JE, Albrecht M, Bodelle B, Nour-Eldin NE, Lee C, Kaup M, Vogl TJ, Gruber-Rouh T. Improved visual delineation of the intimal flap in Stanford type A and B dissections at 3rd generation dual-source high-pitch CT angiography. *Radiol Med.* 2016 Jul;121(7):573-9.
58. Kaltenbach B, Roman A, Eichler K, Nour-Eldin NA, Vogl TJ, Zangos S. Realtime qualitative MR monitoring of microwave ablation in ex vivo livers. *Int J Hyperthermia.* 2016 Jul 19:1-25.
59. Vogl TJ, Hagar A, Nour-Eldin NA, Gruber-Rouh T, Eichler K, Ackermann H, Bechstein WO, Naguib NN. High Frequency versus Low Frequency Microwave Ablation in Malignant Liver Tumors: Evaluation of Local Tumor Control and Survival. *Int J Hyperthermia.* 2016 Jul 12:1-34.
60. Vogl TJ, Eckert R, Naguib NNN, Beeres M, Gruber-Rouh T, Nour-Eldin NEA. Thermal Ablation of Colorectal Lung Metastases: Retrospective Comparison Between Laser-Induced Thermotherapy, Radiofrequency, and Microwave Ablation. *AJR Am J Roentgenol.* 2016 Dec 2016.
61. Paul J, Chacko A, Saccomandi P, Vogl TJ, Nour-Eldin NA. Effect of diagnostic cone-beam computed tomography protocols on image quality, patient dose, and lesion detection. *Phys Med.* 2016 Dec;32(12):1575- 1583.
62. Gruber-Rouh T, Naguib NN, Beeres M, Kaltenbach B, Vogl TJ, Nour-Eldin NE. Transarterial Chemoembolization (TACE) as A Palliative Treatment Option for Liver Metastases from Non-Small Cell Lung Cancer (NSCLC). *International Journal of Radiology and Imaging Technology.* 2016, 2:019. Volume 2 | Issue 3. Per Review Original Research: Open Access 59.
63. Vogl TJ, Hagar A, Nour-Eldin NA, Gruber-Rouh T, Eichler K, Ackermann H, Bechstein WO, Naguib NN. High-frequency versus low-frequency microwave ablation in malignant liver tumours: evaluation of local tumour control and survival. *Int J Hyperthermia.* 2016 Dec;32(8):868-875.
64. Gruber-Rouh T, Marko C, Thalhammer A, Nour-Eldin NE, Langenbach M, Beeres M, Naguib NN, Zangos S, Vogl TJ. Current strategies in interventional oncology of colorectal liver metastases. *Br J Radiol.* 2016 May 26:20151060.
65. Pancreatic Pseudocyst Eroding Into the Splenoportal Venous Confluence and Mimicking an Arterial Aneurysm. Alhajii W, Nour-Eldin NA, Naguib NN, Lehnert T, Koitka K, Vogl TJ. *Radiol Case Rep.* 2016 Oct 4;4(1):234.

66. Naguib N, Hey C, Shaban M, Elabd A, Hassan H, Gruber-Rouh T, Kaltenbach B, Harth M, Ackermann H, Stoever T, Vogl TJ, Nour-Eldin NE. Assessment of the Cochlear Nerve to Facial Nerve Size Ratio using MR Multiplanar Reconstruction of the Internal Auditory Canal in Patients Presenting with Acquired Longstanding Hearing Loss. *Br J Radiol.* 2017 Apr 3;20160870.
67. Naguib N, Emam AM, Gruber-Rouh T, Harth M, Hammerstingl R, Ackermann H, Burck I, Kaltenbach B, Vogl TJ, Nour-Eldin NE. Reproducibility of Volumetric Assessment of the Inner Ear Using Three Dimensional Reconstruction of the High Resolution MR Sequence. *CURR MED IMAGING REV.* Mar 2017.
68. Nour-Eldin NA, Exner S, Al-Subhi M, Naguib NN, Kaltenbach B, Roman A, Vogl TJ. Ablation Therapy of Non-Colorectal Cancer Lung Metastases: Retrospective Analysis of Tumor Response post Laser-Induced Interstitial Thermotherapy (LITT), Radiofrequency Ablation (RFA) and Microwave Ablation (MWA). *Int J Hyperthermia.* 2017 Nov;33(7):820-829
69. Vogl TJ, Qian J, Tran A, Oppermann E, Naguib NN, Korkusuz H, Nour-Eldin NA, Bechstein WO. Study on the effect of chemoembolization combined with microwave ablation for the treatment of hepatocellular carcinoma in rats. *Diagn Interv Radiol.* 2017 Mar-Apr;23(2):150-155.
70. Nour-Eldin NA, El-Subhi M, Gruber-Rouh T, Vogl TJ, Kaltenbach B, Soliman HH, Eman W, Maher S, Naguib NN. CT-Guided Drainage of Pericardial Effusion post Open Cardiac Surgery. *Cardiovasc Interv Radiol.* 2017 Aug;40(8):1223- 1228
71. Naguib NN, Hey C, Shaaban MS, Elabd AM, Hassan HHM, Gruber-Rouh T, Kaltenbach B, Harth M, Ackermann H, Stoever T, Vogl TJ, Nour-Eldin NA. Assessment of the Cochlear Nerve to Facial Nerve Size Ratio using MR Multiplanar Reconstruction of the Internal Auditory Canal in Patients Presenting with Acquired Longstanding Hearing Loss. *Br J Radiol.* 2017 May;90(1073):20160870.
72. Nour-Eldin NA, Alsubhi M, Gruber-Rouh T, Vogl TJ, Kaltenbach B, Soliman HH, Hassan WE, Abolyazid SM, Naguib NN. CT-Guided Drainage of Pericardial Effusion after Open Cardiac Surgery. *Cardiovasc Interv Radiol.* 2017 Aug;40(8):1223-1228.
73. Gruber-Rouh T, Naguib NN, Beerens M, Kleine P, Vogl TJ, Jacobi V, Alsubhi M, Nour-Eldin NA. CT-guided Hook-Wire Localisation prior to Video-Assisted Thoracoscopic Surgery of Pulmonary Lesions. *Clin Radiol.* 2017 Oct;72(10):898.e7-898.e11.
74. Vogl TJ, Basten L, Nour-Eldin NA, Kaltenbach B, Bodelle B, Wichmann J, Ackermann H, Naguib NN. Evaluation of Microwave Ablation of Liver Malignancy with Enabled Constant Spatial Energy Control to Achieve a Predictable Spherical Ablation Zone. *Int J Hyperthermia.* 2017 Aug.
75. Gruber-Rouh T, Langenbach M, Naguib NN, Nour-Eldin NM, Vogl TJ, Zangos S, Beerens M. Transarterial chemoperfusion for the treatment of liver metastases of breast cancer and colorectal cancer: Clinical results in palliative care patients. *World J Clin Oncol.* 2017 Aug 10;8(4):343-350.
76. Roman A, Kaltenbach B, Gruber-Rouh T, Naguib NN, Vogl TJ, Nour-Eldin NA. The role of MRI in the early evaluation of lung microwave ablation. *Int J Hyperthermia.* 2017 Sep 20:1-8.
77. Vogl TJ, Mohamed SA, Albrecht MH, Gruber-Roh T, Lin H, Nour Eldin NA, Bednarova I, Naguib NN, Panahi B. Transarterial chemoembolization in pancreatic adenocarcinoma with liver metastases: MR-based tumor response evaluation, apparent diffusion coefficient (ADC) patterns, and survival rates. *Pancreatology.* 2017 Dec 5. pii: S1424-3903(17)30889-X.
78. Vogl TJ, Panahi B, Albrecht MH, Naguib NN, Nour-Eldin NA, Gruber-Rouh T, Thompson ZM, Basten LM. Microwave ablation of pancreatic tumors. *Minim Invasive Ther Allied Technol.* 2017 Dec 26:1-8.
79. Gruber-Rouh T, Schmitt C, Naguib NN, Nour-Eldin NA, Eichler K, Beerens M, Vogl TJ. Transarterial chemoembolization (TACE) using mitomycin and lipiodol with or without degradable starch microspheres for hepatocellular carcinoma: comparative study. *BMC Cancer.* 2018 Feb 14;18(1):188.
80. Nour-Eldin NE, Alsubhi M, Emam A, Lehnert T, Beerens M, Jacobi V, GruberRouh T, Vogl TJ, Naguib NN. Pneumothorax Complicating Coaxial and Non-Coaxial CT-Guided Lung Biopsy: Comparative Analysis of Determining Risk Factors and Management of Pneumothorax in a Retrospective Review of 650 Patients. *Cardiovasc Interv Radiol.* 2016 Feb;39(2):261-70.
81. Naguib NN, Zima B, Nour-Eldin NE, Gruber-Rouh T, Fischer S, Schulz B, Eichler K, Schmitz-Rixen T, Moritz A, Balzer JO, Ackermann H, Vogl TJ, Zangos S. Long-Term Changes of the Aortic Length post Thoracic Endovascular Aortic Repair (TEVAR). *J Vasc Interv Radiol.* 2016 Feb;27(2):181-7.

82. Vogl TJ, Schaefer P, Lehnert T, Nour-Eldin NA, Ackermann H, Mbalisike E, Hammerstingl R, Eichler K, Zangos S, Naguib NN. Intraprocedural blood volume measurement using C-arm CT as a predictor for treatment response of malignant liver tumours undergoing repetitive transarterial chemoembolization (TACE). *Eur Radiol*. 2016 Mar;26(3):755-63.
83. Vogl TJ, Lauer HC, Lehnert T, Naguib NN, Ottl P, Filmann N, Soekamto H, NourEldin NE. The value of MRI in patients with temporomandibular joint dysfunction: Correlation of MRI and clinical findings. *Eur J Radiol*. 2016 Apr;85(4):714-9.
84. Vogl TJ, Oppermann E, Qian J, Imlau U, Tran A, Hamidavi Y, Korkusuz H, Bechstein WO, Nour-Eldin NE, Gruber-Rouh T, Hammerstingl R, Naguib NN. Transarterial Chemoembolization of Hepatocellular Carcinoma in a Rat Model: the Effect of Additional Injection of Survivin SiRNA to the Treatment Protocol. *BMC Cancer*. 2016 May 23;16(1):325.
85. Vogl TJ, Nour-Eldin NE, Naguib NN, Lehnert T, Ackermann H, Hammerstingl R, Hezel M. Feasibility of assessing pulmonary blood volume using C-arm CT during transpulmonary chemoperfusion and chemoembolization in primary and secondary lung tumours. *Br J Radiol*. 2016 Jun;89(1062):20150244.
86. Vogl TJ, Hagar A, Nour-Eldin NA, Gruber-Rouh T, Eichler K, Ackermann H, Bechstein WO, Naguib NN. High Frequency versus Low Frequency Microwave 14 Ablation in Malignant Liver Tumors: Evaluation of Local Tumor Control and Survival. *Int J Hyperthermia*. 2016 Jul 12:1-34.
87. Vogl TJ, Eckert R, Naguib NN, Beeres M, Gruber-Rouh T, Nour-Eldin NA. Thermal Ablation of Colorectal Lung Metastases: Retrospective Comparison Among Laser-Induced Thermotherapy, Radiofrequency Ablation, and Microwave Ablation. *AJR Am J Roentgenol*. 2016 Sep 28:1-10.
88. Gruber-Rouh T, Naguib NN, Beeres M, Kaltenbach B, Vogl TJ, Nour-Eldin NA. Transarterial Chemoembolization (TACE) as A Palliative Treatment Option for Liver Metastases from Non-Small Cell Lung Cancer (NSCLC). *Int J Radiol Imaging Technol* 2016,
89. Gruber-Rouh T, Thalhammer A, Klingebiel T, Nour-Eldin NA, Vogl TJ, Eichler K, Naguib NN, Beeres M. Computed tomography-guided biopsies in children: accuracy, efficiency and dose usage. *Ital J Pediatr*. 2017 Jan 6;43(1):4.
90. Study on the effect of chemoembolization combined with microwave ablation for the treatment of hepatocellular carcinoma in rats. Vogl TJ, Qian J, Tran A, Oppermann E, Naguib NN, Korkusuz H, Nour Eldin NE, Bechstein WO. *Diagn Interv Radiol*. 2017 Mar-Apr;23(2):150-155.
91. Thermal Ablation of Lung Tumors: Focus on Microwave Ablation. Vogl TJ, Nour-Eldin NA, Albrecht MH, Kaltenbach B, Hohenforst-Schmidt W, Lin H, Panahi B, Eichler K, Gruber-Rouh T, Roman A. *Rofo*. 2017 Sep;189(9):828-843.
92. Assessment of the cochlear nerve to facial nerve size ratio using MR multiplanar reconstruction of the internal auditory canal in patients presenting with acquired long-standing hearing loss. Naguib NNN, Hey C, Shaaban MS, Elabd AM, Hassan HHM, Gruber-Rouh T, Kaltenbach B, Harth M, Ackermann H, Stöver T, Vogl TJ, Nour-Eldin NA. *Br J Radiol*. 2017 May;90(1073):20160870.
93. CT-Guided Drainage of Pericardial Effusion after Open Cardiac Surgery. Nour-Eldin NA, Alsubhi M, Gruber-Rouh T, Vogl TJ, Kaltenbach B, Soliman HH, Hassan WE, Abolyazid SM, Naguib NN. *Cardiovasc Intervent Radiol*. 2017 Aug;40(8):1223-1228.
94. CT-guided hook-wire localisation prior to video-assisted thoracoscopic surgery of pulmonary lesions. Gruber-Rouh T, Naguib NNN, Beeres M, Kleine P, Vogl TJ, Jacobi V, Alsubhi M, Nour-Eldin NA. *Clin Radiol*. 2017 Oct;72(10):898.e7-898.e11.
95. Ablation therapy of non-colorectal cancer lung metastases: retrospective analysis of tumour response post-laser-induced interstitial thermotherapy (LITT), radiofrequency ablation (RFA) and microwave ablation (MWA). Nour-Eldin NA, Exner S, Al-Subhi M, Naguib NNN, Kaltenbach B, Roman A, Vogl TJ. *Int J Hyperthermia*. 2017 Nov;33(7):820-829.
96. Trans-arterial chemoperfusion for the treatment of liver metastases of breast cancer and colorectal cancer: Clinical results in palliative care patients. Gruber-Rouh T, Langenbach M, Naguib NNN, Nour-Eldin NM, Vogl TJ, Zangos S, Beeres M. *World J Clin Oncol*. 2017 Aug 10;8(4):343-350.
97. Microwave Ablation (MWA): Basics, Technique and Results in Primary and Metastatic Liver Neoplasms - Review Article. Vogl TJ, Nour-Eldin NA, Hammerstingl RM, Panahi B, Naguib NNN. *Rofo*. 2017 Nov;189(11):1055-1066.

98. The value of different 18F-FDG PET/CT baseline parameters in risk stratification of stage I surgical NSCLC patients. Anwar H, Vogl TJ, Abougal MA, Grünwald F, Kleine P, Elrefaei S, Nour-Eldin NA. Ann Nucl Med. 2018 Dec;32(10):687-694.
99. The portal vein as a distinct immunological compartment - A comprehensive immune phenotyping study. Queck A, Rueschenbaum S, Kubesch A, Cai C, Zeuzem S, Weigert A, Brüne B, Nour-Eldin NA, Gruber-Rouh T, Vogl T, Lange CM. Hum Immunol. 2018 Oct;79(10):716-723.
100. Dynamic 4D-CT Angiography for Guiding Transarterial Chemoembolization: Impact on the Reduction of Contrast Material, Operator Radiation Exposure, Catheter Consumption, and Diagnostic Confidence. Albrecht MH, Vogl TJ, Wichmann JL, Martin SS, Scholtz JE, Fischer S, Hammerstingl RM, Harth M, Nour-Eldin NA, Thalhammer A, Zangos S, Bauer RW. Rofo. 2018 Jun;190(6):513-520.
101. Purse-string closure technique reduces the incidence of incisional hernias following the reversal of temporary ileostomy. Juratli MA, Nour-Eldin NA, Ackermann H, Habbe N, Hannes S, Bechstein WO, Woeste G. Int J Colorectal Dis. 2018 Jul;33(7):973-977.
102. Transarterial chemoembolization (TACE) using mitomycin and lipiodol with or without degradable starch microspheres for hepatocellular carcinoma: comparative study. Gruber-Rouh T, Schmitt C, Naguib NNN, Nour-Eldin NA, Eichler K, Beeres M, Vogl TJ. BMC Cancer. 2018 Feb 14;18(1):188.
103. A comparison between 915 MHz and 2450 MHz microwave ablation systems for the treatment of small diameter lung metastases. Vogl TJ, Roman A, Nour-Eldin NA, Hohenforst-Schmidt W, Bednarova I, Kaltenbach B. Diagn Interv Radiol. 2018 Jan-Feb;24(1):31-37.
104. Microwave ablation of pancreatic tumors. Vogl TJ, Panahi B, Albrecht MH, Naguib NNN, Nour-Eldin NA, Gruber-Rouh T, Thompson ZM, Basten LM. Minim Invasive Ther Allied Technol. 2018 Feb;27(1):33-40.
105. Transarterial chemoembolization in pancreatic adenocarcinoma with liver metastases: MR-based tumor response evaluation, apparent diffusion coefficient (ADC) patterns, and survival rates. Vogl TJ, Mohamed SA, Albrecht MH, Gruber-Roh T, Lin H, Nour Eldin NEA, Bednarova I, Naguib NN, Panahi B. Pancreatology. 2018 Jan;18(1):94-99.
106. Assessment of salivary gland tumors using MRI and CT: impact of experience on diagnostic accuracy. Vogl TJ, Albrecht MH, Nour-Eldin NA, Ackermann H, Maataoui A, Stöver T, Bickford MW, Stark-Paulsen T. Radiol Med. 2018 Feb;123(2):105-116.
107. The role of MRI in the early evaluation of lung microwave ablation. Roman A, Kaltenbach B, Gruber-Rouh T, Naguib NN, Vogl TJ, Nour-Eldin NA. Int J Hyperthermia. 2018 Sep;34(6):883-890.
108. Evaluation of microwave ablation of liver malignancy with enabled constant spatial energy control to achieve a predictable spherical ablation zone. Vogl TJ, Basten LM, Nour-Eldin NA, Kaltenbach B, Bodelle B, Wichmann JL, Ackermann H, Naguib NNN. Int J Hyperthermia. 2018 Jun;34(4):492-500.
109. Microwave Ablation (MWA) of Pulmonary Neoplasms: Clinical Performance of High-Frequency MWA With Spatial Energy Control Versus Conventional Low-Frequency MWA. Vogl TJ, Basten LM, Nour-Eldin NA, Kaltenbach B, Ackermann H, Naguib NNN. AJR Am J Roentgenol. 2019 Dec;213(6):1388-1396.
110. Traumatic bone marrow edema of the calcaneus: Evaluation of color-coded virtual non-calcium dual-energy CT in a multi-reader diagnostic accuracy study. Booz C, Nöske J, Albrecht MH, Lenga L, Martin SS, Wichmann JL, Huizinga NA, Eichler K, Nour-Eldin NA, Vogl TJ, Yel I. Eur J Radiol. 2019 Sep;118:207-214.
111. Patient radiation dose in percutaneous biliary interventions: recommendations for DRLs on the basis of a multicentre study. Schmitz D, Vogl T, Nour-Eldin NA, Radeleff B, Kröger JC, Mahnken AH, Ittrich H, Gehl HB, Plessow B, Böttcher J, Tacke J, Wispler M, Rosien U, Schorr W, Joerdens M, Glaser N, Fuchs ES, Tal A, Friesenhahn-Ochs B, Leimbach T, Höpner L, Weber M, Gölder S, Böhmig M, Hetjens S, Rudi J, Schegerer A. Eur Radiol. 2019 Jul;29(7):3390-3400.
112. MR angiography-planned prostatic artery embolization for benign prostatic hyperplasia: single-center retrospective study in 56 patients. Vogl TJ, Zinn A, Elhawash E, Alizadeh LS, Nour-Eldin NA, Naguib NNN. Diagn Interv Radiol. 2021 Nov;27(6):725-731.

113. MRI analysis of uterine ischaemia as a form of non-target embolisation following uterine artery embolisation: incidence, extent and outcome. Naguib NNN, Kaltenbach B, Abdel-Karim AA, Elabd A, Abd-Elsalam H, Hammerstingl R, Ackermann H, Vogl TJ, Nour-Eldin NA. *Clin Radiol.* 2021 Dec;76(12):924-929.
114. Long-term outcomes following percutaneous microwave ablation for colorectal cancer liver metastases. Vogl TJ, Zitsch M, Albrecht M, D'Angelo T, Basten L, Gruber-Rouh T, Nour-Eldin NA, Naguib NNN. *Int J Hyperthermia.* 2022;39(1):788-795.
115. Re: MRI analysis of uterine ischaemia as a form of non-target embolisation following uterine artery embolisation: incidence, extent and outcome. A reply. Naguib NNN, Vogl TJ, Nour-Eldin NA. *Clin Radiol.* 2022 Jun;77(6):476.
116. Lung Opacity and Coronary Artery Calcium Score: A Combined Tool for Risk Stratification and Outcome Prediction in COVID-19 Patients. Koch V, Gruenewald LD, Albrecht MH, Eichler K, Gruber-Rouh T, Yel I, Alizadeh LS, Mahmoudi S, Scholtz JE, Martin SS, Lenga L, Vogl TJ, Nour-Eldin NA, Bienenfeld F, Hammerstingl RM, Graf C, Sommer CM, Hardt SE, Mazziotti S, Ascenti G, Versace GA, D'Angelo T, Booz C. *Acad Radiol.* 2022 Jun;29(6):861-870.
117. Percutaneous Thermal Ablation Therapy of Hepatocellular Carcinoma (HCC): Microwave Ablation (MWA) versus Laser-Induced Thermotherapy (LITT). Adwan H, Vogl TJ, Balaban Ü, Nour-Eldin NA. *Diagnostics (Basel).* 2022 Feb 23;12(3):564.
118. Potential of pre-interventional magnetic resonance angiography for optimization of workflow and clinical outcome of prostatic arterial embolization. Vogl TJ, Booz C, Koch V, Nour-Eldin NA, Emara EH, Chun F, El Nemr S, Alizadeh LS. *Eur J Radiol.* 2022 May;150:110236.
119. Minimally Invasive Treatment of Kommerell's Diverticulum and Left Aberrant Subclavian Artery. Salem R, Anantharajah L, Hecker F, Nour-Eldin NEA, Hlavicka J, Walther T, Holubec T. *Ann Thorac Surg.* 2022 Nov;114(5):e313-e315.
120. A prospective randomized trial comparing microwave and radiofrequency ablation for the treatment of liver metastases using a dual ablation system – The Mira study. Vogl TJ, Jaraysa Y, Martin SS, Gruber-Rouh T, Savage RH, Nour-Eldin NA, Mehmedovic A. *Eur J Radiol Open.* 2022 Jan 28;9:100399.
121. Feasibility of diffusion-weighted magnetic resonance imaging in evaluation of early therapeutic response after CT-guided microwave ablation of inoperable lung neoplasms. Vogl TJ, Emara EH, Elhawash E, Naguib NNN, Aboelezz MO, Abdelrahman HM, Saber S, Nour-Eldin NA. *Eur Radiol.* 2022 May;32(5):3288-3296.
122. Postoperative radiological assessment of the mastoid facial canal in cochlear implant patients in correlation with facial nerve stimulation. Burck I, Helal RA, Naguib NNN, Nour-Eldin NA, Scholtz JE, Martin S, Leinung M, Helbig S, Stöver T, Lehn A, Vogl TJ. *Eur Radiol.* 2022 Jan;32(1):234-242. doi: 10.1007/s00330-021-08128-w.
123. [Computertomographie-gesteuerte retromaxilläre Drainage eines disseminierten infratemporalen Abszesses nach Tonsillitis: ein Fallbericht]. Vogl TJ, Fouad MEEM, Martin SS, Al Shaya EA, Emara EH, Nour-Eldin NA. *Rofo.* 2023 Dec;195(12):1129-1130. doi: 10.1055/a-2096-8345.
124. Unveiling the diagnostic enigma of D-dimer testing in cancer patients: Current evidence and areas of application. Gotta J, Gruenewald LD, Eichler K, Martin SS, Mahmoudi S, Booz C, Biciusca T, Reschke P, Bernatz S, Pinto Dos Santos D, Scholtz JE, Alizadeh LS, Nour-Eldin NA, Hammerstingl RM, Gruber-Rouh T, Mader C, Hardt SE, Sommer CM, Bucolo G, D'Angelo T, Onay M, Finkelmeier F, Leistner DM, Vogl TJ, Giannitsis E, Koch V. *Eur J Clin Invest.* 2023 Oct;53(10):e14060.
125. Interventional oncological treatment of breast cancer liver metastasis (BCLM): single center long-term evaluation over 26 years using thermoablation techniques like LITT, MWA and TACE in a multimodal application. Vogl TJ, Freichel J, Gruber-Rouh T, Nour Eldin NE, Becker S, Solbach C, Stefenelli U, Naguib NNN. *Int J Hyperthermia.* 2023;40(1):2200582.
126. Homoarginine in the cardiovascular system: Pathophysiology and recent developments. Koch V, Gruenewald LD, Gruber-Rouh T, Eichler K, Leistner DM, Mahmoudi S, Booz C, Bernatz S, D'Angelo T,

Albrecht MH, Alizadeh LS, Nour-Eldin NA, Scholtz JE, Yel I, Vogl TJ, März W, Hardt SE, Martin SS. Fundam Clin Pharmacol. 2023 Jun;37(3):519-529.

127. Interventional Treatments of Colorectal Liver Metastases Using Thermal Ablation and Transarterial Chemoembolization: A Single-Center Experience over 26 Years. Vogl TJ, Freichel J, Gruber-Rouh T, Nour-Eldin NA, Bechstein WO, Zeuzem S, Naguib NNN, Stefenelli U, Adwan H. Cancers (Basel). 2024 Apr 30;16(9):1756.
128. Retrospective Long-Term Evaluation of Conventional Transarterial Chemoembolization for Hepatocellular Carcinoma over 20 Years. Vogl TJ, Adwan H, Wolff L, Lahrsow M, Gruber-Rouh T, Nour-Eldin NA, Trojan J, Bechstein WO, Naguib NNN. Cancers (Basel). 2024 Apr 14;16(8):1498.
129. Comparison of Microwave and Radiofrequency Ablation for the Treatment of Small- and Medium-Sized Hepatocellular Carcinomas in a Prospective Randomized Trial. Vogl TJ, Martin SS, Gruber-Rouh T, Booz C, Koch V, Nour-Eldin NA, Hussainy Said MN. Rofo. 2024 May;196(5):482-490.